## **Product Data Sheet**



### < STANDARDS >



ASTM D1784 ASTM D2464 ASTM D2466 ASTM D2467 ASTM F1498



ANSI B1.20.1

IPEX MP Compact Ball Valves are ideally suited to all kinds of plumbing and industrial applications where a compact, inexpensive on/off valve is required. The simple one piece PVC body with integral end connections eliminates potential problems cause by improper adjustment of the ball seating. MP Compact Ball Valves are part of our complete systems of pipe, valves, and fittings, engineered and manufactured to our strict quality, performance, and dimensional standards.

### VALVE AVAILABILITY

Body Material:	PVC
Size Range:	1/2" through 2"
Size Range.	1/2 throughtz
Pressure:	150 psi
Seats:	Teflon® (PTFE)
Seals:	EPDM
End Connections:	Socket (IPS), Threaded (FNPT)



ipexna.com Toll Free: 866 473-9462

## **Product Data Sheet**

## Sample Specifications

#### 1.0 Ball Valves - MP

#### 1.1 Material

 The valve body and ball shall be made of PVC compound which shall meet or exceed the requirements of cell classification 12454 according to ASTM D1784.

#### 1.2 Seats

• The ball seats shall be made of Teflon® (PTFE).

#### 1.3 Seals

• The o-ring seals shall be made of EPDM.

#### 2.0 Connections

### 2.1 Socket style

 The IPS socket PVC end connections shall conform to the dimensional standards ASTM D2466 and ASTM D2467.

### 2.2 Threaded style

 The female NPT threaded PVC end connections shall conform to the dimensional standards ASTM D2464, ASTM F1498, and ANSI B1.20.1.

### 3.0 Design Features

- The valve shall be composed of a one piece PVC body.
- The end connections shall be an integral part of the body.
- All sizes shall allow for bi-directional flow.

### 3.1 Pressure Rating

All sizes shall be rated at 150 psi at 73°F (non-shock).

### 3.2 Markings

 All valves shall be marked to indicate size, material designation, and manufacturers name or trade mark.

### 3.3 Color Coding


- All PVC Schedule 40 valves shall be color-coded white.
- All PVC Schedule 80 valves shall be color-coded dark gray.
- **4.0** All valves shall be Xirtec® PVC by IPEX or approved equal.

### **Valve Selection**

Size Body		O-ring	IPEX Part Number		Pressure	Body Material:				
(inches)	Material	Material	IPS Socket	FNPT Threaded	Rating	☐ Sch 40 white PVC				
1/2	Sch 40 PVC		052277	052283		☐ Sch 80 grey PVC				
1/2	Sch 80 PVC		052000	052026		Size (inches):				
7//	Sch 40 PVC		052278	052284		□ 1/2 □ 1-1/4				
3/4	Sch 80 PVC		052006	052029		□ 3/4 □ 1-1/2				
1	Sch 40 PVC		052279	052285						
ı	Sch 80 PVC	EDDM	052007	052107	1FO mai	End Connections:				
1.1//	Sch 40 PVC	EPDM	052280	052286	150 psi					
1-1/4	Sch 80 PVC		052009	052108		<ul><li>Socket (IPS)</li><li>Threaded (FNPT)</li></ul>				
1 1/2	Sch 40 PVC		052281	052287						
1-1/2	Sch 80 PVC		052019	052109		IPEX Part Number:				
	Sch 40 PVC		052282	052288						
2	Sch 80 PVC		052024	052144						

## **Product Data Sheet**


### **Dimensions**




Size	D1	d Socket	d Threaded	Р	L	D2	н	А	W (lbs)
1/2	0.59	0.84	1/2 NPT	0.88	3.11	1.38	1.85	2.76	0.24
3/4	0.79	1.05	3/4 NPT	1.00	3.54	1.58	2.24	3.03	0.35
1	0.98	1.32	1 NPT	1.13	4.13	1.89	2.40	3.50	0.52
1-1/4	1.26	1.66	1-1/4 NPT	1.25	4.76	2.13	2.60	3.50	0.74
1-1/2	1.54	1.90	1-1/2 NPT	1.38	5.00	2.44	2.91	4.37	1.06
2	1.97	2.38	2 NPT	1.50	5.87	2.95	3.15	5.47	1.72

Dimension (inches)


## Pressure - Temperature Ratings



## **Pressure Loss Chart**



## Components



#	Component	Material	Qty
1	stem	PVC	1
2	ball	PVC	1
3	body	PVC (white) / PVC (grey)	1
4	stem o-ring	EPDM	1
5	cap	ABS	1
6	handle	ABS	1
7	seat	PTFE	2


## Flow Coefficients

Size	C <sub>v</sub>
1/2	8.80
3/4	13.2
1	25.2
1-1/4	38.5
1-1/2	51.3
2	96.7

## **Product Data Sheet**

### **Assembly**

- Please refer to the appropriate connection style sub-section:
  - a. For socket style, solvent cement each pipe end into the body of the valve. For correct joining procedure, please refer to the section entitled, "Joining Methods Solvent Cementing" in the IPEX Industrial Technical Manual Series, "Volume I: Vinyl Process Piping Systems". Be sure to allow sufficient cure time before pressurizing the system.
  - For threaded style, thread each pipe end into the body of the valve. For correct joining procedure, please refer to the section entitled, "Joining Methods – Threading" in the IPEX Industrial Technical Manual Series, "Volume I: Vinyl Process Piping Systems".



### Disassembly

- If removing the valve from an operating system, isolate the valve from the rest of the system. Be sure to depressurize and drain the isolated branch and valve before continuing.
- Please refer to the appropriate connection style sub-section:
  - a. For socket style, cut the pipe as close to the ends of the valve body as possible. The valve can now be replaced.
  - b. For threaded style, unthread the pipe ends from the valve body. The valve can now be reused and/or replaced.

**Note:** The MP Compact Ball Valve is a molded-in-place valve. It cannot be disassembled.

## **Testing & Operating**

The purpose of system testing is to assess the quality of all joints and fittings to ensure that they will withstand the design working pressure, plus a safety margin, without loss of pressure or fluid. Typically, the system will be tested and assessed in sub-sections as this allows for improved isolation and remediation of potential problems. With this in mind, the testing of a specific installed valve is achieved while carrying out a test of the overall system.

An onsite pressure test procedure is outlined in the IPEX Industrial Technical Manual Series, "Volume I: Vinyl Process Piping Systems" under the section entitled, "Testing". The use of this procedure should be sufficient to assess the quality of a valve installation. In any test or operating condition, it is important to never exceed the pressure rating of the lowest rated appurtenance in the system.

### Important points:

- Never test thermoplastic piping systems with compressed air or other gases including air-overwater boosters.
- When testing, do not exceed the rated maximum operating pressure of the valve.
- Avoid the rapid closure of valves to eliminate the possibility of water hammer which may cause damage to the pipeline or the valve.
- For safety reasons, please contact IPEX customer service and technical support when using volatile liquids such as hydrogen peroxide (H2O2) and sodium hypochlorite (NaClO). These liquids may vaporize causing a potentially dangerous pressure increase in the dead space between the ball and the valve body.

Please contact IPEX customer service and technical support with regard to any concern not addressed in this data sheet or the technical manual.

## **About IPEX**

### **About the IPEX Group of Companies**

As leading suppliers of thermoplastic piping systems, the IPEX Group of Companies provides our customers with some of the world's largest and most comprehensive product lines. All IPEX products are backed by more than 50 years of experience. With state-of-the-art manufacturing facilities and distribution centers across North America, we have established a reputation for product innovation, quality, enduser focus and performance.

Markets served by IPEX group products are:

- Electrical systems
- · Telecommunications and utility piping systems
- · Industrial process piping systems
- Municipal pressure and gravity piping systems
- · Plumbing and mechanical piping systems
- · Electrofusion systems for gas and water
- · Industrial, plumbing and electrical cements
- · Irrigation systems
- PVC, CPVC, PP, PVDF, PE, ABS, and PEX pipe and fittings

Xirtec® is a registered trademark used under license.

This literature is published in good faith and is believed to be reliable. However, it does not represent and/or warrant in any manner the information and suggestions contained in this brochure. Data presented is the result of laboratory tests and field experience.

A policy of ongoing product improvement is maintained. This may result in modifications of features and/or specifications without notice.

