

Price List: FPESGWUS080122 Effective: August 1, 2022 Replaces: July 15, 2021 **Revised: February 25, 2025** 

## PRICE LIST



PE Electrofusion Systems for Gas, Municipal, Industrial Waste and Water Applications



### IPEX USA LLC Sales and Customer Service Center

1425 North Service Rd. E, Unit 3 Oakville, ON L6H 1A7

| Phone     | (289) 881-0120 |
|-----------|----------------|
| Toll Free | (800) 463-9572 |
| Fax       | (905) 844-0826 |

### www.ipexna.com



## **IPEX USA LLC Electrofusion Team**

David G Hughes National Sales Manager PE Electrofusion 116 Woodmancy Lane Fayettevile, NY 13066 David.Hughes@ipexamerica.com (315) 727-6322

Scott DesRosiers

Northeast Technical Sales Manager PE Electrofusion 1268 County Route 12 Pennellville, NY 13132 <u>Scott.DesRosiers@ipexamerica.com</u> (315) 400-7763

**Brad Eberspecher** 

Northwest Technical Sales Manager PE Electrofusion <u>Brad.Eberspecher@ipexamerica.com</u> (406) 425-0479

Craig Johnson

Southeast Technical Sales Manager PE Electrofusion 5939 Shed Rd Rome, NY 13440 <u>Craig.Johnson@ipexamerica.com</u> (315) 551-1632



# **Product Listing**

| Accessories                           | 10      |
|---------------------------------------|---------|
| Alignment Clamps                      | 5       |
| Couplings                             | 3, 4, 5 |
| Electrofusion Processor & Accessories | 2       |
| Electrofusion Reducers                | 8       |
| IPEX Re-Rounding Tools                | 6       |
| Reducing Bushings                     | 11      |
| Repair Clamps                         | 10      |
| Repair Patches                        | 10      |
| Re-Round Clamps                       | 5, 6    |
| Saddles                               | 10, 11  |
| Scraper Tools & Accessories           | 6       |
| Tapping Tees & Accessories            | 7, 8, 9 |



Order Minimum \$100.00

# **Specific Terms of Sale**

Terms: Net 30 days / F.O.B. Pineville, N. C., USA (Prepay and Add)

Handling charges will be added to all rush orders, and special shipping requests.

Handling charges are at a rate of 30% of freight charge to a maximum of \$200.

Any claims of shortage or damages from shipment must be submitted in writing within 2 days after receipt of shipment.

Buyer shall note loss or damages on truck shipments by providing a delivery receipt signed by the driver.



| Description         | Dimension<br>inches  | Product<br>Code | Std<br>Pkg | Unit<br>Price   |
|---------------------|--|-----------------|------------|-----------------|
| electrofusion Proce | essors (Genesis software download available at no charge at ipexna.c | com)            |            |                 |
|                     | Friamat 6 Electrofusion Processor (110v)                             | 628000          | 1          | \$<br>5,294.00  |
|                     | Workflow License – Up to 25 Users                                    | 728001          | -          | \$<br>3,529.50  |
|                     | Workflow License – Up to 50 Users                                    | 728002          | -          | \$<br>5,647.00  |
|                     | Workflow License – Up to 100 Users                                   | 728003          | -          | \$<br>9,035.00  |
|                     | Workflow License – Up to 200 Users                                   | 728004          | -          | \$<br>11,763.50 |
|                     | Genesis F3 Processor / Pen Scanner (120 V)                           | 328221          | 1          | \$<br>4,200.0   |
|                     | Genesis F3 Processor / Smart Scan (120 V)                            | 328222          | 1          | \$<br>4,375.0   |
|                     | Genesis F3 Processor / Smart Scan + GPS (120 V)                      | 328223          | 1          | \$<br>4,475.0   |
|                     | Genesis F3 Processor / Pen Scanner (240 V)                           | 328251          | 1          | \$<br>4,475.0   |
| FRAMAT" 6 TIO V A   | Genesis F3 Processor / Smart Scan (240 V)                            | 328250          | 1          | \$<br>4,650.0   |
|                     | Genesis F3 Processor / Smart Scan + GPS (240 v)                      | 328249          | 1          | \$<br>4,750.0   |
|                     | Genesis F3 Processor / Pen Scanner w/ Bluetooth (120 V)              | 328276          | 1          | \$<br>4,200.0   |
|                     | Genesis F3 Processor / Smart Scan w/ Bluetooth (120 V)               | 328277          | 1          | \$<br>4,375.0   |
|                     | Genesis F3 Processor / Smart Scan w/ Bluetooth + GPS (120 V)         | 328278          | 1          | \$<br>4,475.0   |
|                     | Genesis F3 Processor / Pen Scanner w/Bluetooth (240 V)               | 328280          | 1          | \$<br>4,475.0   |
|                     | Genesis F3 Processor / Smart Scan w/ Bluetooth (240 V)               | 328281          | 1          | \$<br>4,650.0   |
|                     | Genesis F3 Processor / Smart Scan w/ Bluetooth + GPS (240 v)         | 328282          | 1          | \$<br>4,750.0   |
|                     | Included Accessories:  |                 |            |                 |
|                     | Accessory bag (x1)   | 328229          |            |                 |
|                     | Genesis F3 Manual, English (x1)                                      | -               |            |                 |
|                     | Instructional Video, Genesis F3 (x1) thumb drive                     | -               |            |                 |
|                     | Fittings Adapter 90 Deg, 4.0mm (x2) (white adapter)                  | 328231          |            |                 |
|                     | Fittings Adapter 90 Deg, 4.7mm (x1) (black adapter)                  | 328232          |            |                 |
|                     | Fittings Adapter 90 Deg, 4.7mm (x1) (black adapter with Red ID pin)  | 328233          |            |                 |
|                     | Information Card, Genesis F3 (x1)                                    | 328234          |            |                 |
|                     | 5/16" Adapter Wrench (x1)  | 328248          |            |                 |

#### **Genesis F3 Replacement Parts**

| The second second       | Pen Scanner, Threaded Connector                                | 328224 | 1 | \$<br>290.00 |
|-------------------------|--|--------|---|--------------|
| *5286224                | SMART Scanner, Genesis F3                                      | 328225 | 1 | \$<br>450.00 |
| •328225 8               | SMART Scanner with GPS, Genesis F3                             | 328226 | 1 | \$<br>550.00 |
| +328226                 | Display Shield (4 screws not included)                         | 328230 | 1 | \$<br>20.00  |
| •328231                 | Fittings Adapter 90 Deg, 4.0mm (white adapter)                 | 328231 | 1 | \$<br>21.25  |
| 9                       | Fittings Adapter 90 Deg, 4.7mm (black adapter)                 | 328232 | 1 | \$<br>21.25  |
| 328233                  | Fittings Adapter 90 Deg, 4.7mm (black adapter with red ID pin) | 328233 | 1 | \$<br>33.25  |
|                         | Fittings Adapter Universal accomodates both 4.0mm & 4.7mm      | 328269 | 1 | \$<br>41.18  |
|                         | Smart Scan Holster   | 328227 | 1 | \$<br>25.00  |
| *328228                 | Barcode Pen Holster  | 328228 | 1 | \$<br>18.00  |
| +328229                 | Accessory Bag  | 328229 | 1 | \$<br>18.00  |
|                         | Genesis F3 Information Card                                    | 328234 | 1 | \$<br>7.25   |
| #328269                 | Fuse, 2 Amp 250 Volt Slow-Blow, 5 x 20mm                       | 328235 | 1 | \$<br>3.50   |
| And and a second second | Replacement Case   | 328247 | 1 | \$<br>465.00 |
|                         | 5/16" Adapter Wrench   | 328248 | 1 | \$<br>5.00   |
|                         |  |        |   |              |

### Friamat I and II Accessories

|            | Replacement Friamat 6 110V Electrofusion Case         | 628002 | 1 | \$<br>647.00 |
|------------|---|--------|---|--------------|
|            | Marinco Adapter - Plug 30A. To 15A.                   | 328000 | 1 | \$<br>74.39  |
|            | Frialen <sup>®</sup> Silver Pipe Markers              | 328002 | 1 | \$<br>10.41  |
| - A326015  | * UPONOR/ New Style Central Connectors - (Pair) 4.7mm | 328015 | 1 | \$<br>74.39  |
| <b>v</b> — | * Central Connectors - (Pair) 3.2mm                   | 328016 | 1 | \$<br>74.39  |
| *          | Pen Scanner - Replacement                             | 328063 | 1 | \$<br>383.37 |
| *328119    | * Alum. Fusion Processor Carrying Case                | 328143 | 1 | \$<br>339.28 |
|            | * Plastic Fusion Processor Carrying Case              | 291158 | 1 | \$<br>446.49 |
|            | * Fusion Lead End 4.0mm (Pair)                        | 328119 | 1 | \$<br>111.67 |
|            | ** For Friamat I & II Processors Only 2               |        |   |              |



| Description | Dimension<br>inches                              | Product<br>Code | Std<br>Pkg | Unit<br>Price |
|-------------|--|-----------------|------------|---------------|
|             | Metric sized (special order only, 4-6 weeks lead | time)           |            |               |
|             | 20mm   | 128147          | 1/Box      | P.O.R.        |
|             | 32mm   | 128179          | 1/Box      | P.O.R.        |
|             | 63mm   | 128149          | 1/Box      | P.O.R.        |
|             | 75mm   | 128150          | 1/Box      | P.O.R.        |
| and a       | 110mm  | 128151          | 1/Box      | P.O.R.        |
|             | 140mm<br>Note: 5" IPS - 5.563 O.D. Pipe only     | 128195          | 1/Box      | \$ 96.66      |
|             | 125mm  | 128152          | 1/Box      | P.O.R.        |
|             | 160mm  | 128153          | 1/Box      | P.O.R.        |
|             | 180mm  | 128144          | 1/Box      | P.O.R.        |
|             | 200mm  | 128145          | 1/Box      | P.O.R.        |
|             | 225mm  | 128181          | 1/Box      | P.O.R.        |
|             | 250mm  | 128146          | 1/Box      | P.O.R.        |
|             | 280mm  | 128154          | 1/Box      | P.O.R.        |
|             | 315mm  | 128143          | 1/Box      | P.O.R.        |
|             | 400mm Note: Special training required.           | 128155          | 1/Box      | P.O.R.        |
|             | 450mm Note: Special training required.           | 128199          | 1/Box      | P.O.R.        |
|             | 500mm Note: Special training required.           | 128156          | 1/Box      | P.O.R.        |
|             | 560mm Note: Special training required.           | -               | 1/Box      | P.O.R.        |
|             | 630mm Note: Special training required.           | 128157          | 1/Box      | P.O.R.        |
|             | 710mm Note: Special training required.           | -               | 1/Box      | P.O.R.        |

Friastop EFV Couplings (Excess Flow Valve)e: Electrofusion fittings meet all ASTM F1055 & D2513 requirements for electrofusion fittings.



| 1" CTS X 1/2" EFV | 128240 | 40/Box | \$<br>69.53  |
|-------------------|--------|--------|--------------|
| 3/4" EFV          | 128237 | 60/Box | \$<br>63.83  |
| 1" CTS EFV        | 128238 | 30/Box | \$<br>68.12  |
| 1" IPS EFV        | 128239 | 30/Box | \$<br>66.34  |
| 1 1/4" IPS EFV    | 128241 | 20/Box | \$<br>105.40 |
| 2" IPS EFV        | 128257 | 16/Box | \$<br>163.86 |



| De      | scription                |   | Dimension<br>inches  | Product<br>Code                 | Std<br>Pkg       |          | Unit<br>Price |
|---------|--------------------------|---|--|---------------------------------|------------------|----------|---------------|
| FRIATEC | CTS Coupling             | gs / FRIALEN  | Note: Electrofusion fittings meet all ASTM F1055 & D2513 require             | ments for electrofu             | usion fittings.  |          |               |
|         |                          | 1/2" CTS<br>1" CTS<br>Note: Use FWSG 63                                       | 3 Scraper  | 128031<br>128027                | 80/Box<br>30/Box | \$<br>\$ | 9.84<br>11.42 |
| FRIATEC | Couplings I              | PS  | Note: Electrofusion fittings meet all ASTM F1055 & D2513 require             | ments for electrofu             | usion fittings.  |          |               |
|         |                          | 3/4" IPS<br>Note: Use FWSG 63 S   | SDR11<br>craper or FWZ hand scraper  | 128026                          | 60/Box           | \$       | 10.55         |
|         |                          | 1" IPS<br>Note: Use FWSG 63   | SDR11<br>or FWZ hand scraper   | 128024                          | 30/Box           | \$       | 11.42         |
|         |                          | 1 1/4" IPS<br>Note: Use FWSG 63 S   | SDR11<br>craper or FWZ hand scraper  | 128025                          | 20/Box           | \$       | 13.18         |
|         |                          | 1 1/2" IPS<br>Note: Use FWSG 63 S   | SDR11<br>craper or FWZ hand scraper  | 128033                          | 15/Box           | \$       | 14.95         |
|         |                          | 2" IPS<br>Note: Use FWSG 63 S   | SDR11<br>craper, FWSG-SE 2" scraper or FWZ hand scraper                      | 128028                          | 8/Box            | \$       | 15.65         |
|         |                          | 3" IPS<br>Note: Use FWSG 315/   | SDR11<br>400 Scraper, FWSG-SE 3" scraper or FWZ hand scraper                 | 128029                          | 30/Box           | \$       | 34.28         |
|         |                          |   | SDR11<br>400 Scraper, FWSG-SE 4" scraper or FWZ hand scraper                 | 128030                          | 24/Box           | \$       | 50.10         |
|         |                          | <ul> <li>5" IPS<br/>Note: Use FWSG 315/<br/>d 140mm fit 5.563 0.E</li> </ul>  | SDR11<br>(400/630/710 Scraper or FWZ hand scraper<br>).                      | 128195                          | 1/Box            | \$       | 96.60         |
|         |                          | 6" IPS<br>Note: Use FWSG 315/   | SDR11<br>/400/630/710 Scraper or FWZ hand scraper                            | 128032                          | 8/Box            | \$       | 126.54        |
|         |                          | 8" IPS<br>Note: Use FWSG 315/   | SDR11<br>400/630/710 Scraper or FWZ hand scraper                             | 128060                          | 36/Box           | \$       | 184.5         |
|         |                          | * 8" IPS BIF<br>Note: Use FWSG 315/   | SDR11<br>400/630/710 Scraper or FWZ hand scraper                             | 128023                          | 36/Box           | \$       | 184.5         |
|         |                          |   | SDR11<br>(400/630/710 Scraper or FWZ hand scraper                            | 128061                          | 18/Box           | \$       | 316.37        |
|         |                          |   | SDR11<br>(400/630/710 Scraper or FWZ hand scraper                            | 128062                          | 18/Box           | \$       | 544.87        |
|         |                          |   | SDR11<br>(400/630/710 Scraper or FWZ hand scraper                            | 128064                          | 12/Box           | \$       | 597.59        |
|         | Special Training         |   | SDR11<br>710 Scraper or FWZ hand scraper                                     | 128063                          | 1/Box            | \$       | 738.20        |
|         | ed for sizes<br>I above. |   | SDR11<br>710 Scraper or FWZ hand scraper                                     | 128065                          | 1/Box            | \$       | 1,001.8       |
|         |                          | ** 20" IPS  | SDR11  | 128176                          | 1/Box            | \$       | 1,098.5       |
|         |                          | ** 22" IPS  | SDR17  | 128066                          | 1/Box            | \$       | 1,362.14      |
|         |                          |   | SDR13.5<br>710 Scraper or FWZ hand scraper                                   | 128067                          | 1/Box            | \$       | 1,748.82      |
|         |                          | <ul> <li>** 28" IPS<br/>Note: Will not be ship</li> <li>** 30" IPS</li> </ul> | SDR17<br>oped without Re-Round tool. Use FWSG 710 Scraper or FWZ he<br>SDR11 | 128068<br>and scraper<br>228451 | 1/Box<br>1/Box   | \$<br>\$ | 4,130.39      |
|         |                          | 00 11 0   | oped without Re-Round tool. Use FWSG 710 Scraper or FWZ h                    |                                 | 1700             | φ        | 7,700.20      |



| Description      | Dimension<br>inches  | Product<br>Code  | Std<br>Pkg |  | Unit<br>Price  |
|------------------|--|--|------------|--|--|
|                  | DIP  |  |            |  |  |
|                  | 6" DIP SDR11   | 128134   | 80/Box     | \$   | 178.41   |
|                  | Note: Use FWSG 315/400/630/710 Scraper or FWZ hand scraper<br>8" DIP SDR11   | 128131   | 36/Box     | \$   | 257.49   |
|                  | Note: Use FWSG 315/400/630/710 Scraper or FWZ hand scraper   | 120131   | 30/008     | φ  | 237.47   |
|                  | 10" DIP SDR11  | 128136   | 18/Box     | \$   | 355.04   |
|                  | Note: Use FWSG 315/400/630/710 Scraper or FWZ hand scraper   | 100120   | 10/Dav     | ¢  | (52.02   |
|                  | 12" DIP SDR11<br>Note: Use FWSG 400/630/710 Scraper or FWZ hand scraper  | 128132   | 18/Box     | \$   | 653.83   |
|                  | 14" DIP SDR11  | 128158   | 12/Box     | \$   | 915.28   |
|                  | Note: Use FWSG 400/630/710 Scraper or FWZ hand scraper   |  |            |  |  |
|                  | 16" DIP SDR11<br>** Note: Special Training Required  | 128135   | 1/Box      | \$   | 1,176.73   |
|                  | 18" DIP SDR13.5  | 128138   | 1/Box      | \$   | 1,374.88   |
|                  | Note: Use FWSG 630/710 Scraper or FWZ hand scraper   |  | .,         | Ŧ  | .,   |
|                  | ** 20" DIP SDR13.5   | 128133   | 1/Box      | \$   | 1,573.05   |
|                  | Note: Use FWSG 630/710 Scraper or FWZ hand scraper   | 100007   | 1/0        | ¢  | 0 770 17   |
|                  | 24" DIP SDR11<br>** Note: Use FWSG 630/710 Scraper or FWZ hand scraper   | 128207   | 1/Box      | \$   | 2,779.17   |
|                  | Clamps IPS/DIP Single  |  |            |  |  |
|                  |  |  |            | *  | 500.00   |
|                  | 1 1/4" IPS<br>2" IPS   | 228244<br>228137   | 1          | \$<br>\$   | 532.93<br>596.00   |
|                  | 3" IPS   | 228137   | 1          | ۰<br>\$  | 735.00   |
|                  | 4" IPS   | 228138   | 1          | \$   | 902.00   |
|                  | 6" IPS   | 228139   | 1          | \$   | 1,760.00   |
|                  | 6" DIP   | 228264   | 1          |  | POR  |
|                  |  | 0000 / /   |            | •  |  |
|                  | 8" IPS   | 228246   | 1          | \$   | 2,/22.00   |
| <b>Alignment</b> | Clamps IPS/DIP Double  | 228246   | 1          | \$   |  |
| <b>Alignment</b> | Clamps IPS/DIP Double  | 228245   | 1          | \$   | 1,053.21   |
| Alignment        | Clamps IPS/DIP Double  | 228245<br>228140   | 1          | \$   | 1,053.21<br>1,192.00   |
| Alignment        | Clamps IPS/DIP Double  | 228245<br>228140<br>228249   |            | \$   | 1,053.21<br>1,192.00<br>1,470.00   |
| Alignment        | Clamps IPS/DIP Double  | 228245<br>228140<br>228249<br>228141   | 1          | \$<br>\$<br>\$<br>\$   | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00   |
| Alignment        | Clamps IPS/DIP Double  | 228245<br>228140<br>228249   | 1          | \$   | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00   |
|                  | Clamps IPS/DIP Double  | 228245<br>228140<br>228249<br>228141<br>228142   | 1          | \$ \$ \$ \$  | 1,192.00<br>1,470.00<br>1,804.00   |
|                  | Clamps         IPS/DIP         Double           1         1/4" IPS         2" IPS           2" IPS         3" IPS         4" IPS           4" IPS         6" IPS         8" IPS           Ignment         Clamp         1  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247   | 1          | \$ \$ \$ \$  | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00   |
|                  | Clamps         IPS/DIP         Double           1         1/4" IPS         2" IPS           2" IPS         3" IPS         4" IPS           4" IPS         6" IPS         8" IPS           Iignment Clamp         ½ - 2" Single Angled         ½                    | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368   | 1          | \$ \$ \$ \$  | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00   |
|                  | Clamps         IPS/DIP         Double           1         1/4" IPS         2" IPS           2" IPS         3" IPS         4" IPS           4" IPS         6" IPS         8" IPS           Iignment Clamp         ½ - 2" Single Angled         ½ - 2" Double Angled | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369   | 1          | • • • • • • • •  | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00   |
|                  | Clamps         IPS/DIP         Double           1         1/4" IPS         2" IPS           2" IPS         3" IPS         4" IPS           4" IPS         6" IPS         8" IPS           Iignment Clamp         ½ - 2" Single Angled         ½                    | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368   |            | \$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$ | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00   |
|                  | Clamps IPS/DIP Double  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369<br>228370<br>228371<br>228372   |            | \$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$   | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00<br>1,121.00<br>1,785.00<br>1,102.00   |
| Hy-Ram A         | Clamps IPS/DIP Double  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369<br>228370<br>228371   |            | \$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$<br>\$ | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00<br>1,121.00<br>1,785.00<br>1,102.00   |
| Hy-Ram A         | Clamps IPS/DIP Double  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369<br>228370<br>228371<br>228372   |            | \$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$   | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00<br>1,121.00<br>1,785.00<br>1,102.00   |
| Hy-Ram A         | Clamps IPS/DIP Double  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369<br>228370<br>228371<br>228372<br>228373   |            | \$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$   | 1,053.21<br>1,192.00<br>1,470.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00<br>1,121.00<br>1,785.00<br>1,102.00<br>1,123.00<br>P.O.R.   |
| Hy-Ram A         | Clamps IPS/DIP Double  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369<br>228370<br>228371<br>228372<br>228373<br>228373   |            | \$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$   | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00<br>1,121.00<br>1,785.00<br>1,102.00<br>1,123.00<br>P.O.R.<br>P.O.R.   |
| Hy-Ram A         | Clamps IPS/DIP Double           1 1/4" IPS         2" IPS         3" IPS         4" IPS         6" IPS         8" IPS  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369<br>228370<br>228371<br>228372<br>228373<br>228373   |            | \$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$   | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00<br>1,121.00<br>1,785.00<br>1,102.00<br>1,123.00<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.   |
| Hy-Ram A         | Clamps IPS/DIP Double           1 1/4" IPS         2" IPS         3" IPS         4" IPS         6" IPS         8" IPS  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369<br>228370<br>228371<br>228372<br>228373<br>228373   |            | \$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$   | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00<br>1,121.00<br>1,785.00<br>1,102.00<br>1,123.00<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.                                 |
| Hy-Ram A         | Clamps IPS/DIP Double  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369<br>228370<br>228371<br>228372<br>228373<br>228373<br>228157<br>228157<br>228157<br>228152<br>228158<br>228154<br>228161 |            | \$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$   | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00<br>1,121.00<br>1,785.00<br>1,122.00<br>1,123.00<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.                       |
| Hy-Ram A         | Clamps IPS/DIP Double  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369<br>228370<br>228371<br>228372<br>228373<br>228373<br>228157<br>228157<br>228152<br>228158<br>228154<br>228161<br>228156 |            | \$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$   | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00<br>1,121.00<br>1,785.00<br>1,122.00<br>1,123.00<br>1,123.00<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R. |
| Hy-Ram A         | Clamps IPS/DIP Double  | 228245<br>228140<br>228249<br>228141<br>228142<br>228247<br>228368<br>228368<br>228369<br>228370<br>228371<br>228372<br>228373<br>228373<br>228157<br>228157<br>228157<br>228152<br>228158<br>228154<br>228161 |            | \$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$<br>\$ \$ \$ \$ \$   | 1,053.21<br>1,192.00<br>1,470.00<br>1,804.00<br>3,520.00<br>5,444.00<br>601.00<br>750.00<br>1,121.00<br>1,785.00<br>1,122.00<br>1,123.00<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.<br>P.O.R.                       |



| De      | escription    | Dimension<br>inches   | Product<br>Code | Std<br>Pkg |         | Unit<br>Price |
|---------|---------------|---|-----------------|------------|---------|---------------|
| FRIATEC | Hydraulic Re- | -Rounding Clamps DIP (special order, 8-13 weeks lead time)                              |                 |            |         |               |
|         |               | 8" DIP Re-Round Insert  | 228162          | 1          |         | P.O.R.        |
|         | 50-           | 8" DIP Master Re-Round Insert   | 228151          | 1          |         | P.O.R.        |
|         |               | 12" DIP Master Re-Round Clamp   | 228153          | 1          |         | P.O.R.        |
|         | 111 2         | 12" DIP Re-Round Insert   | 228163          | 1          |         | P.O.R.        |
|         | TOD           | 16" DIP Master Re-Round Clamp   | 228155          | 1          |         | P.O.R.        |
|         |               | 16" DIP Re-Round Insert   | 228164          | 1          |         | P.O.R.        |
|         | R             | 18" DIP Master Re-Round Clamp<br>Note: 20" IPS Master                                   | 228161          | 1          |         | P.O.R.        |
| FRIATEC | Re-Rounding   | Tools   |                 |            |         |               |
| -       |               | 10" IP\$/DIP - 16" IP\$/DIP   | 128258          | 1          | \$      | 2,075.00      |
| E       |               | 18" IPS/DIP - 26" IPS/DIP   | 228359          | 1          | \$      | 2,150.00      |
| -       |               | 28" IPS/DIP - 36" IPS/DIP   | 228338          | 1          | \$      | 2,934.78      |
| FRIATEC | Scraper Tools | 3   |                 |            |         |               |
|         | -             | FWZ Hand Scraper  | 328018          | Each       | \$      | 22.79         |
|         |               | FWSG 63 Scraper Tool (1/2" IPS - 2" IPS) with case                                      | 128255          | 1/Box      | \$      | 992.25        |
| 1       | 910           | FWSG 400 Scraper Tool (3" IPS - 14" IPS & 4" DIP - 14" DIP ) with case                  | 128259          | 1/Box      | \$      | 2,096.47      |
|         |               | FWSG 710 Scraper Tool (6" IPS - 28" IPS & 6" DIP-24" DIP) with case                     | 128190          | 1/Box      | \$      | 2,615.75      |
| FRIATEC | FWSG-SE Scro  | aper Tools  |                 |            |         |               |
|         | •             | 2" Scraper Tool FWSG-SE IPS with case   | 128223          | 1          | \$      | 799.47        |
| 12      |               | 3" Scraper Tool FWSG-SE IPS with case   | 128222          | 1          | \$      | 860.46        |
| 1       | O REAL        | 4" Scraper Tool FWSG-SE IPS with case   | 128217          | 1          | \$      | 882.35        |
| 16      |               | 6" Scraper Tool FWSG-SE IPS with case   | 128218          | 1          | \$      | 1,049.80      |
| 65      |               | 8" Scraper Tool FWSG-SE IPS with case   | 128219          | 1          | \$      | 1,113.09      |
| -       | •             | 12" Scraper Tool FWSG-SE IPS with case  | 128220          | 1          | \$      | 1,290.45      |
| FRIATEC | Scraper Tool  | Accessories   |                 |            |         |               |
|         |               | Spare Blades For FWZ Hand Scraper<br>Note: Set of 5                                     | 328017          | 5/Pack     | \$      | 14.71         |
|         |               | Spare Blade Kit (FWSGE 4) For Old Version FWSG 63                                       | 128041          | 3/Pack     | \$      | 279.30        |
|         |               | Kit Contains: 3 Blades, 2 Screws & Driver   | 120041          | of i dek   | Ψ       | 277.00        |
|         |               | Spare Blade Kit (FWSGE 3) For FWSG 315  | 128040          | 3/Pack     | \$      | 279.30        |
|         |               | Kit Contains: 3 Blades, 2 Screws & Driver   | 120010          | S/I GOR    | Ψ       | 2, ,.00       |
|         |               | Spare Blade Kit (FWSGE 5) For FWSG 630/710<br>Kit Contains: 3 Blades, 2 Screws & Driver | 128042          | 3/Pack     | \$      | 279.30        |
|         |               | Alum. Carrying Case For FWSG 630-710 Scraper Tool                                       | 128198          | 1          | \$      | 279.30        |
|         |               | Alum. Carrying Case For FWSG 63-315 Scraper Tool  | 128035          | 1          | \$      | 154.33        |
|         |               | Spare Blade Kit (FWSGE 8) For FWSGE SE Series (double sided blade)                      | 128221          | 1          | \$      | 179.68        |
|         |               | Spare Blade Kit (FWSGE 14) For FWSG 400 (double sided blade)                            | 128260          | 1          | \$      | 279.30        |
|         |               | Spare Blade Kit (FWSGE 15) For New Style FWSG 63 (double sided blade)                   | 128256          | 20         | ↓<br>\$ | 243.33        |



| Description          | Dimension<br>inches<br>Main Size x Outlet Size   | Product<br>Code | Std<br>Pkg | Unit<br>Price |
|----------------------|--|-----------------|------------|---------------|
| FRIATEC DAA High Pre | ssure Tapping Tee IPS  |                 |            |               |
|                      | 2" IPS x 1/2" CTS with Undersaddle   | 228042          | 16/Box     | \$<br>50.97   |
|                      | Note: Use 228051 (17mm Hex Wrench)<br>2" IPS x 3/4" IPS with Undersaddle                                       | 228029          | 16/Box     | \$<br>50.97   |
|                      | Note: Use 228051 (17mm Hex Wrench)<br>2" IPS x 1" CTS with Undersaddle   | 228033          | 16/Box     | \$<br>50.97   |
|                      | Note: Use 228051 (17mm Hex Wrench)<br>2" IPS x 1" IPS with Undersaddle   | 228032          | 16/Box     | \$<br>69.98   |
| <u>i</u>             | Note: Use 228051 (17mm Hex Wrench)<br>2" IPS x 2" IPS with Undersaddle   | 228274          | 1/Each     | \$<br>113.25  |
|                      | Note: Use 228052 (19mm hex wrench)<br>3" IPS x 1/2" CTS with Undersaddle                                       | 228043          | 16/Box     | \$<br>78.49   |
|                      | Note: Use 228052 (19mm hex wrench)<br>3" IPS x 3/4" IPS with Undersaddle                                       | 228030          | 16/Box     | \$<br>78.49   |
|                      | Note: Use 228052 (19mm hex wrench)<br>3" IPS x 1" CTS with Undersaddle   | 228031          | 16/Box     | \$<br>78.49   |
|                      | Note: Use 228052 (19mm hex wrench)<br>3" IPS x 1" IPS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)   | 228044          | 16/Box     | \$<br>78.49   |
|                      | 3" IPS x 2" IPS with Undersaddle   | 228028          | 12/Box     | \$<br>119.51  |
|                      | Note: Use 228052 (19mm hex wrench)<br>4" IPS x 1/2" CTS with Undersaddle<br>Note: Use 228052 (19mm hex wrench) | 228045          | 16/Box     | \$<br>80.05   |
|                      | 4" IPS x 3/4" IPS with Undersaddle   | 228034          | 10/Box     | \$<br>80.05   |
|                      | Note: Use 228052 (19mm hex wrench)<br>4" IPS x 1" CTS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)   | 228035          | 10/Box     | \$<br>80.05   |
|                      | 4" IPS x 1" IPS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)   | 228046          | 10/Box     | \$<br>80.05   |
|                      | 4" IPS x 2" IPS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)   | 228025          | 6/Box      | \$<br>128.32  |
|                      | 6" IPS x 1/2" CTS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)                                       | 228047          | 6/Box      | \$<br>108.65  |
|                      | 6" IPS x 3/4" IPS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)                                       | 228036          | 6/Box      | \$<br>108.65  |
|                      | 6" IPS x 1" CTS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)   | 228038          | 6/Box      | \$<br>108.65  |
|                      | 6" IPS x 1" IPS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)   | 228049          | 6/Box      | \$<br>108.65  |
|                      | 6" IPS x 2" IPS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)   | 228027          | 6/Box      | \$<br>164.27  |
|                      | 8" IPS x 1/2" CTS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)                                       | 228048          | 5/Box      | \$<br>175.76  |
|                      | 8" IPS x 3/4" IPS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)                                       | 228037          | 5/Box      | \$<br>175.76  |
|                      | 8" IPS x 1" CTS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)   | 228041          | 5/Box      | \$<br>175.76  |
|                      | 8" IPS x 1" IPS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)   | 228040          | 5/Box      | \$<br>175.76  |
|                      | 8" IPS x 2" IPS with Undersaddle<br>Note: Use 228052 (19mm hex wrench)   | 228039          | 5/Box      | \$<br>175.76  |

Note: When ordering IPS sizes for gas applications, please advise Customer Service.

Cap Sizes & part numbers are: 32mm (228280); 40 mm (228281), 50 mm (228282)



| Description  | Dimension<br>inches                                    | Product<br>Code | Std<br>Pkg |         | Unit<br>Price |
|--|--|-----------------|------------|---------|---------------|
| <b>EFS</b> <sup>®</sup> Electrofusion To   | apping Tees GAS SERVICE APPLICATIONS ONLY              |                 |            |         |               |
|  | 1-1/4 IPS x 1/2 CTS                                    | 528000          | 25         | \$      | 22.87         |
|  | 1-1/4 IPS x 3/4 IPS                                    | 528001          | 25         | \$      | 22.87         |
|  | 1-1/4 IPS x 1 CTS                                      | 528002          | 25         | \$      | 22.87         |
|  | 1-1/4 IPS x 1 IPS                                      | 528003          | 25         | \$      | 22.87         |
|  | 2 IPS x 1/2 CTS  | 528004          | 25         | \$      | 28.36         |
|  | 2 IPS x 3/4 IPS  | 528005          | 25         | \$      | 28.36         |
|  | 2 IPS x 1 CTS  | 528006          | 25         | \$      | 28.36         |
| 1-1/4" and 2" main sizes plastic under saddle  | 2 IPS x 1IPS   | 528007          | 25         | \$      | 28.36         |
|  | 2 IPS x 1 1/4 IPS                                      | 528009          | 15         | ↓<br>\$ | 118.15        |
|  |  |                 |            |         |               |
| 3"-8" main sizes nylon   | 3 IPS x 1/2 CTS  | 528011          | 20         | \$      | 40.17         |
| strap undersaddle.   | 3 IPS x 3/4 IPS  | 528012          | 20         | \$      | 40.17         |
|  | 3 IPS x 1 CTS  | 528013          | 20         | \$      | 40.17         |
|  | 3 IPS x 1 1/4 CTS                                      | 528015          | 15         | \$      | 118.15        |
|  | 3 IPS x 1 1/4 IPS                                      | 528016          | 15         | \$      | 118.15        |
|  | 4 IPS x 1/2 CTS  | 528018          | 20         | \$      | 40.17         |
|  | 4 IPS x 3/4 IPS  | 528019          | 20         | \$      | 40.17         |
|  | 4 IPS x 1 CTS  | 528020          | 20         | \$      | 40.17         |
|  | 4 IPS x 1 IPS  | 528021          | 20         | \$      | 40.17         |
|  | 4 IPS x 1 1/4 CTS                                      | 528022          | 15         | \$      | 151.23        |
|  | 4 IPS x 1 1/4 IPS                                      | 528023          | 15         | \$      | 151.23        |
|  | 6 IPS x 1/2 CTS  | 528025          | 20         | \$      | 40.17         |
|  | 6 IPS x 3/4 IPS  | 528026          | 20         | \$      | 40.17         |
|  | 6 IPS x 1 CTS  | 528027          | 20         | \$      | 40.17         |
|  | 6 IPS x 1 IPS  | 528028          | 20         | \$      | 40.17         |
|  | 6 IPS x 1 1/4 CTS                                      | 528029          | 15         | \$      | 151.23        |
|  | 6 IPS x 1 1/4 IPS                                      | 528030          | 15         | \$      | 151.23        |
|  |  | 500000          | 00         | ¢       | 40.1          |
|  | 8 IPS x 1/2 CTS  | 528032          | 20         | \$      | 40.17         |
|  | 8 IPS x 3/4 IPS  | 528033          | 20         | \$      | 40.12         |
|  | 8 IPS x 1 CTS  | 528034          | 20         | \$      | 40.17         |
|  | 8 IPS x 1 IPS  | 528041          | 20         | \$      | 40.17         |
|  | 8 IPS x 1 1/4 CTS                                      | 528035          | 15         | \$      | 184.32        |
|  | 8 IPS x 1 1/4 IPS                                      | 528036          | 15         | \$      | 184.32        |
|  | All Ipex Tap Tees are made from PE 4710                |                 |            |         |               |
| <b>EFS</b> Accessories   |  |                 |            |         |               |
|  | Low Volume Pressure Test Cap (Outlet sizes 1/2" to 1") | 528039          | 1          | \$      | 59.08         |
|  | Medium Volume Pressure Test Cap (Outlet sizes 1 1/4")  | 528040          | 1          | \$      | 59.08         |
|  | Tapping Tool   | 528038          | 1          | \$      | 37.80         |
| <b>Electrofusion R</b>   | educers  |                 |            |         |               |
| 9000   | 1" CTS X 1/2" CTS Frialen E.F. Reducer                 | 128203          | 40         | \$      | 21.57         |
| NUMBER OF TAXABLE P  | 1" IPS X 1/2" CTS Frialen E.F. Reducer                 | 128204          | 40         | \$      | 21.57         |
| The second s | 2" IPS X 1" CTS Frialen E.F. Reducer                   | 128205          | 10         | \$      | 23.46         |



| Description  | Dimension<br>inches  | Product<br>Code  | Std<br>Pkg |          |               |
|--|--|------------------|------------|----------|---------------|
| DAA High Pressure                                    | Tapping Tee DIP  |                  |            |          |               |
| 8  | 4" DIP x 1" CTS with Undersaddle<br>Note: Use 228052 Hex Wrench  | 228250           | 16/Box     | \$       | 81.32         |
|  | 4" DIP x 2" IPS with Undersaddle<br>Note: Use 228052 Hex Wrench  | 228253           | 10/Box     | \$       | 135.57        |
| ALL AND  | 8" DIP x 1" CTS with Undersaddle<br>Note: Use 228052 Hex Wrench  | 228260           | 5/Box      | \$       | 175.76        |
| •  | 8" DIP x 2" IPS with Undersaddle<br>Note: Use 228052 Hex Wrench  | 228261           | 5/Box      | \$       | 175.76        |
| DAA Top Loading H                                    | igh Pressure Tapping Tee DIP/IPS   |                  |            |          |               |
|  | 10" - 16" IPS/DIP x 2" IPS (Extended Cutter)<br>Note: Requires 228053 Friatop Pneumatic Top-Loading Tool<br>For use with 16" SDR 11 main. Use 228052 (19mm Hex Wrench)       | 128246           | 5/Box      | \$       | 301.63        |
|  | 10" - 16" IPS/DIP x 2" IPS (12" & Larger DR Restrc.)<br>Note: Requires 228053 Friatop Pneumatic Top-Loading Tool<br>See catalog for exclusions. Use 228052 (19mm Hex Wrench) | 228056           | 5/Box      | \$       | 274.46        |
|  | 10" - 16" IPS/DIP x 3/4" IPS<br>Note: Requires 228053 Friatop Pneumatic Top-Loading Tool<br>See catalog for exclusions. Use 228052 (19mm Hex Wrench)                         | 228324           | 1/Each     | \$       | 477.20        |
| <b>DAA Accessories</b>                               |  |                  |            |          |               |
| /  | 10mm Hex Wrench For 1 1/4" Main DAA Tees   | 228050           | 1/Each     | \$       | 33.97         |
|  | 17mm Hex Wrench For 2" X $\frac{1}{2}$ - 1" IPS & CTS Outlet Sizes   | 228051           | 1/Each     | \$       | 34.78         |
|  | 19mm Hex Wrench For 2" X 2" and 3 – 16" Main DAA Tees  | 228052           | 1/Each     | \$       | 35.60         |
| 7_1  | Friatop Pneumatic Top Loading Tool<br>Note: For 10" - 16" DAA-TL Tee & All TL Fittings   | 228053           | 1/Each     | \$       | 2,235.87      |
|  | Pressure Test Cap Adapter (Optional)<br>Note: For DAA Style 1 1/4" Tees  | 228024           | 1/Each     | \$       | 53.16         |
| 17mm wrench for 2" main, 1/2"<br>1" IPS/CTS outlets. | <ul> <li>Pressure Test Cap Adapter (Optional)</li> <li>Note: For DAA Style 2" - 16" Tees</li> </ul>  | 228055           | 1/Each     | \$       | 64.98         |
| 19mm wrench for 2" x 2"                              | 2" IPS x 1/2" CTS Training Tee   | 228356           | 16         | \$       | 16.54         |
| through 16" mains.                                   | 2" IPS x 3/4" IPS Training Tee   | 228357           | 16         | \$       | 16.54         |
|  | Plug cap with O-ring, 1-1/4 DAA  | 228332           | 1          | \$       | 5.43          |
|  | Plug cap with O-ring, 2" DAA for 1/2" cts -1" cts/ips  | 228333           | 1          | \$       | 5.43          |
|  | Plug cap with O-ring, 2" x 2" through 16"DAA<br>Replacement bladder for Friatop  | 228334<br>228148 | 1          | \$<br>\$ | 5.43<br>74.44 |



| Description  | Dimension<br>inches  | Product<br>Code | Std<br>Pkg |    | Unit<br>Price |
|--|--|-----------------|------------|----|---------------|
| <b>Repair Clam</b>   | ps Undersaddle   |                 |            |    |               |
| and the second s | 3" IPS   | 228175          | 24/Box     | \$ | 131.14        |
|  | 4" IPS   | 228176          | 16/Box     | \$ | 131.14        |
|  | 4" DIP   | 228295          | 1/Box      | \$ | 133.91        |
|  | 6" IPS   | 228177          | 10/Box     | \$ | 155.96        |
| Repair Patch   | les Top Loading  |                 |            |    |               |
|  | 8" IPS   | 228178          | 10/Box     | \$ | 269.38        |
|  | Note: Requires 228053 Friatop Pneumatic Top-Loading Tool<br>Restriction on 28" |                 |            |    |               |
|  | 10" - 22" IPS & 8" - 20" DIP   | 228179          | 10/Box     | \$ | 344.99        |
|  | Note: Requires 228053 Friatop Pneumatic Top-Loading Tool                       | 220177          | 10,000     | Ψ  | 011.77        |
|  | Restriction on 28"   |                 |            |    |               |
|  |  |                 |            |    |               |
|  | Friatop Pneumatic Top Loading Tool   | 228053          | 1          | \$ | 2,235.87      |
|  | 12mm PE Repair Plug  | 228133          | 1          | \$ | 16.52         |
|  | 18mm PE repair Plug  | 228134          | 1          | \$ | 15.29         |
| (19) (19) (19) (19) (19) (19) (19) (19)  | 24mm PE Repair Plug  | 228135          | 1          | \$ | 14.41         |
|  | 44mm PE Repair Plug  | 228136          | 1          | \$ | 21.45         |
|  | Replacement bladder for Friatop  | 228148          | 1          | \$ | 74.44         |
|  | VSC Adapter for Friatop Pneumatic Top Loading Tool                             | 228223          | 1          | \$ | 21.58         |
|  | Dimension  | Product         | Std        |    | Unit          |
| Description  | inches   | Code            | Pkg        |    | Price         |
|  | Main Size x Outlet Size  | Couc            | ING        |    | mee           |
| SA Branch Se   | addles   |                 |            |    |               |
|  | * 3" IPS x 2" IPS  | 228184          | 20/Box     | \$ | 87.89         |
|  | * 4" IPS x 2" IPS  | 228185          | 12/Box     | \$ | 96.66         |
|  | * 4" DIP x 2" IPS  | 228296          | 1/Box      | \$ | 122.76        |
| A 1-1 A  | * 6" IPS x 3" IPS  | 228180          | 2/Box      | \$ | 521.95        |
| See and and  | * 6" IPS x 4" IPS  | 228277          | 1/Box      | \$ | 164.51        |
|  | * 8" IPS x 4" IPS  | 228276          | 1/Box      | \$ | 187.30        |
|  | 10" - 22" IPS x 2" IPS & 10" - 20" DIP x 2" IPS                                | 228182          | 5/Box      | \$ | 254.86        |
|  | 10" - 22" IPS x 3" IPS & 10" - 20" DIP x 3" IPS                                | 228187          | 5/Box      | \$ | 285.9         |
|  | addle Note: Requires 228053 Friatop Pneumatic Top-loading Tool                 |                 |            |    |               |



| Description       | Dimension<br>inches   | Product<br>Code   | Std<br>Pkg                          |                            | Unit<br>Price                              |
|-------------------|---|---|-------------------------------------|----------------------------|--|
| <b>VA</b> Service | Saddle with 2" IPS Brass FIP Outlet   |   |                                     |                            |  |
| <u>co</u> co      | * 3" IPS x 2" SSPT<br>Note: Undersaddle   | 228262  | 26/Box                              | \$                         | 140.00                                     |
|                   | * 4" IPS x 2" SSPT  | 228170  | 20/Box                              | \$                         | 73.84                                      |
|                   | * 4" DIP x 2" SSPT  | 228298  | 1/Box                               | \$                         | 88.60                                      |
| 09-00             | * 6" IPS x 2" SSPT  | 228171  | 10/Box                              | \$                         | 87.89                                      |
| - Ce              | * 6" DIP x 2" SSPT  | 228302  | 1/Box                               | \$                         | 105.48                                     |
|                   | * 8" IPS x 2" SSPT  | 228218  | 10/Box                              | \$                         | 98.42                                      |
|                   | Note: Requires 228053 Friatop Pneumatic Top-Loading Tool, com   | plete with VSC a  | daptor                              |                            |  |
|                   | * 8" DIP x 2" SSPT  | 228173  | 10/Box                              | \$                         | 101.9                                      |
|                   | Note: Requires 228053 Friatop Pneumatic Top-Loading Tool, com   | plete with VSC a  | daptor                              |                            |  |
|                   | * 10" - 22" IPS x 2" SSPT   | 228174  | 10/Box                              | \$                         | 237.27                                     |
|                   | * 10" - 20" DIP x 2" SSPT   |   |                                     |                            |  |
|                   | Application restricted to 22" IPS and 20" DIPS<br>Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.  | RED LOC-TITE #26  | 52.                                 |                            |  |
| New! Brass Reduc  | Assemble nipple, bushings or corporation stop into saddle using l   | RED LOC-TITE #26  |                                     | ;                          |  |
| New! Brass Reduc  | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br><b>ing Bushings - For use with VA Service Saddles</b>  | Lead Free NSF-(   |                                     | ;                          |  |
| New! Brass Reduc  | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br><b>ing Bushings - For use with VA Service Saddles</b><br><b>To avoid weeping at threads, use brass reducing bushings listed b</b>  | Lead Free NSF-(<br>pelow  |                                     | -                          | 31.47                                      |
| New! Brass Reduc  | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br><b>ing Bushings - For use with VA Service Saddles</b><br><b>To avoid weeping at threads, use brass reducing bushings listed b</b><br>2" x 3/4" Male SSPT x Female NPT  | Lead Free NSF-(<br>pelow<br>228453  |                                     | \$                         |  |
| New! Brass Reduc  | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br><b>ing Bushings - For use with VA Service Saddles</b><br><b>To avoid weeping at threads, use brass reducing bushings listed b</b>  | Lead Free NSF-(<br>pelow  |                                     | -                          | 31.47<br>32.10<br>26.98                    |
| New! Brass Reduc  | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br><b>ing Bushings - For use with VA Service Saddles</b><br><b>To avoid weeping at threads, use brass reducing bushings listed to</b><br>2" x 3/4" Male SSPT x Female NPT<br>2" x 1" Male SSPT x Female NPT   | Lead Free NSF-6<br>below<br>228453<br>228454  | <b>61 Annex G</b><br>1<br>1         | \$                         | 32.10                                      |
|                   | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br><b>ing Bushings - For use with VA Service Saddles</b><br><b>To avoid weeping at threads, use brass reducing bushings listed k</b><br>2" x 3/4" Male SSPT x Female NPT<br>2" x 1" Male SSPT x Female NPT<br>2" x 1 1/2" Male SSPT x Female NPT<br>Assemble Bushings into VA Saddle using RED LOC-TITE #262.   | Lead Free NSF-6<br>below<br>228453<br>228454  | <b>61 Annex G</b><br>1<br>1         | \$                         | 32.10                                      |
|                   | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br><b>Sing Bushings - For use with VA Service Saddles</b><br><b>To avoid weeping at threads, use brass reducing bushings listed t</b><br>2" x 3/4" Male SSPT x Female NPT<br>2" x 1" Male SSPT x Female NPT<br>2" x 1 1/2" Male SSPT x Female NPT<br>2" x 1 1/2" Male SSPT x Female NPT<br>Assemble Bushings into VA Saddle using RED LOC-TITE #262.<br>Do not overtighten or back out threads once assembled.  | Lead Free NSF-6<br>below<br>228453<br>228454  | <b>61 Annex G</b><br>1<br>1         | \$                         | 32.10                                      |
|                   | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br><b>Start Start S</b> | Lead Free NSF-0<br>228453<br>228454<br>228455   | 61 Annex G<br>1<br>1                | \$<br>\$<br>\$             | 32.10<br>26.98                             |
|                   | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br><b>Sing Bushings - For use with VA Service Saddles</b><br><b>To avoid weeping at threads, use brass reducing bushings listed t</b><br>2" x 3/4" Male SSPT x Female NPT<br>2" x 1" Male SSPT x Female NPT<br>2" x 1 1/2" Male SSPT x Female NPT<br>2" x 1 1/2" Male SSPT x Female NPT<br>Assemble Bushings into VA Saddle using RED LOC-TITE #262.<br>Do not overtighten or back out threads once assembled.<br><b>fusion Shut Off Saddles</b><br>3" IPS SPA Electrofusion Shut Off Saddle  | Lead Free NSF-0<br>228453<br>228454<br>228455<br>228455   | 61 Annex G<br>1<br>1<br>1           | \$<br>\$<br>\$<br>\$       | 32.10<br>26.98<br>256.07                   |
|                   | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br><b>Sing Bushings - For use with VA Service Saddles</b><br><b>To avoid weeping at threads, use brass reducing bushings listed t</b><br>2" x 3/4" Male SSPT x Female NPT<br>2" x 1" Male SSPT x Female NPT<br>2" x 1 1/2" Male SSPT x Female NPT<br>2" x 1 1/2" Male SSPT x Female NPT<br>Assemble Bushings into VA Saddle using RED LOC-TITE #262.<br>Do not overtighten or back out threads once assembled.<br><b>fusion Shut Off Saddles</b><br>3" IPS SPA Electrofusion Shut Off Saddle<br>4" IPS SPA Electrofusion Shut Off Saddle  | Lead Free NSF-0<br>228453<br>228454<br>228455<br>228455<br>228363<br>228363<br>228363           | 61 Annex G<br>1<br>1<br>1<br>-<br>- | \$\$                       | 32.10<br>26.98<br>256.07<br>269.64         |
|                   | Assemble nipple, bushings or corporation stop into saddle using I<br>Do not over tighten or back out threads once assembled.<br>* SSPT- straight standard pipe thread.<br>The use of tapered fittings is not allowed.<br>ing Bushings - For use with VA Service Saddles<br>To avoid weeping at threads, use brass reducing bushings listed to<br>2" x 3/4" Male SSPT x Female NPT<br>2" x 1" Male SSPT x Female NPT<br>2" x 1 1/2" Male SSPT x Female NPT<br>2" x 1 1/2" Male SSPT x Female NPT<br>Assemble Bushings into VA Saddle using RED LOC-TITE #262.<br>Do not overtighten or back out threads once assembled.<br>fusion Shut Off Saddles<br>3" IPS SPA Electrofusion Shut Off Saddle<br>4" IPS SPA Electrofusion Shut Off Saddle<br>6" IPS SPA Electrofusion Shut Off Saddle   | Lead Free NSF-0<br>228453<br>228454<br>228455<br>228455<br>228363<br>228363<br>228361<br>228362 | 61 Annex G<br>1<br>1<br>1<br>-<br>- | \$<br>\$<br>\$<br>\$<br>\$ | 32.10<br>26.98<br>256.00<br>269.6<br>288.8 |

#### Accessories For SPA Electrofusion Shut Off Saddles

|  | Electrofusion cap for SPA Saddles - Yellow         | 228242 | - | \$<br>10.87 |
|--|--|--------|---|-------------|
|  | Electrofusion cap for SPA Saddles - Black- fusible | 228339 | - | \$<br>33.46 |



### **RE-ROUND CLAMP RENTAL RATES**

14" IPS/DIPS RE-ROUND CLAMPS: RATES \$655.00 / MONTH \$165.00 / WEEK \$35.00 / DAY

16" IPS/DIPS - 18" IPS/DIPS RE-ROUND CLAMPS: RATES \$802.00 / MONTH \$200.50 / WEEK \$41.00 / DAY

20" IPS/DIPS - 30" IPS RE-ROUND CLAMPS: RATES \$1280.00 / MONTH \$320.00 / WEEK \$65.00 / DAY

ALL RENTAL CHARGES START ON THE DAY IT LEAVES FOR DESTINATION AND ENDS WHEN RECEIVED BACK AT OUR DOCK.

FREIGHT CHARGES ARE NOT INCLUDED IN THE RENTAL RATES.

#### PLEASE NOTE:

1) Re-Round Clamp will be invoiced at our full selling price and credited upon its return, less rental charges (as indicated above) and less any applicable fees (cleaning/missing parts, etc.)

2) Return Material Authorization (RMA) must be requested prior to returning the re-round clamp to our distribution centre. A copy of the RMA must accompany the tool return at all times.

# NOTES

# NOTES

# IPEX USA LLC General Terms and Conditions of Sale

#### 1. Scope

All sales are subject to these general terms and conditions ("General T&Cs"). In addition, certain products may be subject to productspecific terms and conditions ("Specific T&Cs") as posted on the Vendor's website at the time of sale. In the event of a conflict between the General T&Cs and the Specific T&Cs, the Specific T&Cs shall prevail. Purchaser's order is accepted subject to these General T&Cs, to the applicable Specific T&Cs and to any terms and conditions agreed to in writing by the Vendor and Purchaser. It is expressly agreed that any terms and conditions contained in the Purchaser's order or otherwise stipulated will be deemed for the Purchaser's internal use only and will not be binding on the Vendor.

#### 2. Orders

Purchaser's orders are conditional upon satisfactory credit approval by the Vendor. The Vendor will only accept orders in excess of \$100 before taxes or such greater amount as may be specified for certain products. Once confirmed by the Vendor, orders for custom-made or non-stocked products cannot be cancelled, modified or returned, except with the Vendor's written consent and upon terms which provide for indemnification of the Vendor for the costs and expenses incurred.

#### 3. Shipments, Title to the Products and Risk of Loss

Any delivery schedules stipulated are approximate only and shipment will be made within reasonable proximity thereto. Under no circumstances will the Vendor be responsible for any damage whatsoever caused by delays in shipment, whether resulting from causes within or beyond the control of the Vendor.

All shipments are F.O.B. origin (Vendor's location) (American standard) or Ex Works (Vendor's location) (ICC Incoterms), as indicated on the invoice. Freight prepaid orders, when applicable, will be delivered by the carrier of the Vendor's selection, unless the use of other carriers is agreed to in writing with the Purchaser.

Risk of loss and title to the Products shall in any case pass to the Purchaser upon delivery of Products to the carrier at Vendor's shipping dock or upon the invoicing of the Products, whichever occurs first.

Purchaser must verify quantities and report discrepancies within 2 business days of receipt.

#### 4. Prices

All prices quoted or published are F.O.B. origin (Vendor's location) or Ex Works (Vendor's location), and do not include any sales, use, excise or any other tax or levy imposed by any present or future law, regulation or other order, on any of the Products.

Published prices are subject to change without notice until orders are accepted by the issuance of an order confirmation, whereupon prices will remain firm for those shipments that take place within the 30-day period following the date of the order confirmation. For specific projects, contracts or quotations, the Vendor may agree in writing to protect prices for an extended period of time. Each order may be shipped in whole or in part at the Vendor's discretion. Each shipment made will be immediately invoiced.

In order to be exempt of the applicable taxes, Purchaser must provide the Vendor with applicable tax exemption certificates or other documents.

#### 5. Terms of Payment

Unless other terms of payment are agreed to in writing by the Vendor, payment is due upon delivery of the Products. If applicable, cash discounts, expressed as a percentage, are calculated on the net invoiced prices before any taxes, freight or other charges and can only be deducted from payment if the Vendor receives payment from Purchaser on or prior to the due date. Net 30 days means that payment is due within 30 days of the date of

invoice and no cash discount is applicable. Overdue accounts shall bear interest at a rate of 18% per annum. The granting of credit by the Vendor is at all times based on its evaluation of the Purchaser's financial condition. If such financial condition does not justify continuance of shipment on credit, the Vendor may require full or partial payment in advance.

#### 6. Return of Products

The Vendor may accept the return of Products, at its sole discretion, but is subject in all cases to the following: a) prior to returning any Products, the Purchaser must obtain a Return Material Authorization (RMA) number from the Vendor; b) Products must be returned freight prepaid, unless otherwise authorized by the Vendor; and c) Products must be received in good saleable condition and, if required, in full carton quantities and in their original packaging. A minimum return charge of 25% of the purchase price will be applied

# IPEX USA LLC

# **General Terms and Conditions of Sale**

against any credit issued pursuant to the return of Products, except in the case of a Vendor shipping error. The Vendor may apply additional charges against the credit to cover remarketing costs or may refuse to issue any credit, but will advise the Purchaser accordingly.

Certain Products, such as pressure pipe and fittings, custom-made products or configurations, perishable products, obsolete products, large quantities or other specialty products cannot be returned.

In certain circumstances, the Vendor may direct that Products be destroyed for credit rather than returned.

#### 7. Changes to Products

The Vendor reserves the right to make changes or improvements to its Products without assuming any further obligation.

#### 8. Patent Rights

If any claim is made against the Purchaser based on the allegation that any of the Products sold by the Vendor constitute an infringement of any patent, the Purchaser shall notify the Vendor immediately. The Vendor shall have the right, at its own option and expenses, to take any actions to protect and defend its rights.

#### 9. Force Majeure

The Vendor shall in no event be responsible or liable for any non-performance or delay in performance hereunder or any loss or damage of any kind or nature whatsoever, direct or indirect, suffered by the Purchaser, subsequent purchasers, end-users of the Products or any other person, as a result of any causes beyond the reasonable control of the Vendor including, without limitation, fires, floods, civil commotion, riots, wars, acts of God, embargos, acts of or acts authorized by any government or standard organizations, adoption of laws or regulations, strikes/slowdowns, lock-outs/walk-outs, labor shortages, accidents, breakdowns, power outages, delays in shipments, manufacture, transportation or delivery of goods or materials, shortages of materials or supplies, or price alterations.

#### 10. Governing Law

This agreement and all rights and obligations hereunder shall be governed by the laws of North Carolina and all actions commenced pursuant hereto shall be brought in a court of competent jurisdiction residing in Charlotte, North Carolina. The parties agree to exclude this Agreement and the purchases made thereunder from the application of the United Nations' Convention on the Sale of Goods.

#### 11. Non-waiver

No delay, failure, change or waiver by the Vendor to exercise any one or more of its rights under these terms and conditions of sale shall be construed or shall operate to be a waiver thereof or a continuing waiver of such terms and conditions.

#### 12. Warranty and Limitation of Liability

- 12.1 The Vendor warrants that its Products are, at the time of their sale by Vendor, free from defects resulting from Vendor's faulty manufacturing.
- 12.2 THERE IS NO WARRANTY, CONDITION OR REPRESENTATION OF ANY NATURE WHATSOEVER, EXPRESSED OR IMPLIED, BY STATUTE OR OTHERWISE, EXCEPT AS HEREIN CONTAINED. ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS OF THE PRODUCTS FOR A SPECIAL PURPOSE AND ANY OTHER WARRANTY OF QUALITY ARE EXPRESSLY DISCLAIMED.
- 12.3 The Vendor will, at its entire discretion either refund or replace with a Product of the same type and size as the original Product, free of charge, including shipping charges at the original point of delivery, any Product which is found to breach this Limited Warranty.
- 12.4 THIS LIMITED WARRANTY IS VALID ONLY AND WILL ONLY APPLY IF ALL OF THE FOLLOWING CONDITIONS ARE MET:
  - 12.4.1 The Product must have been used only in applications and under conditions (handling, installation, testing, use, water temperature, maintenance, repairs, etc.) that are strictly in compliance with these terms and conditions and the Vendor's technical manuals and installation instructions currently available from the Vendor at the time of installation.

# IPEX USA LLC General Terms and Conditions of Sale

- 12.4.2 The alleged defect must not be due to faulty installation, misalignment of products, vibration, ordinary wear and tear, corrosion, erosion, U.V. degradation, incompatible lubricants, pastes and thread sealants, unusual pressure surges or pulsation, water hammer, temperature shocking, or fouling.
- 12.4.3 The Product must have been installed in good and workmanlike manner consistent with the Vendor's technical manuals and installation instructions currently available from the Vendor at the time of installation, and with the state of the art industry standards and practices, and in conformance with all applicable laws and regulations.
- 12.4.4 The Product must have not been altered, damaged or modified after leaving the Vendor's premises, and must have been used in no more than one installation, show no evidence of disassembly or tampering, and have not been subjected to abnormal operating conditions, accident, abuse, misuse, unauthorized alteration, or repair.
- 12.4.5 The Product must not have been subject to acts of nature such as earthquakes, fire, flood, or lightning, or any other event of force majeure.
- 12.4.6 The Product must not have been subject to freezing inside any of its components.
- 12.4.7 If the Product is perishable, the Product must have been used prior to the expiration date as indicated on the Product.
- 12.4.8 The Claimant must notify the Vendor in writing within ten (10) days of when the alleged defect was discovered, or should have been discovered in the exercise of ordinary care, and the alleged defective Product must be promptly returned to the Vendor. Notice of an alleged defective Product under this Limited Warranty must be directed to your local IPEX Customer Service representative. Claimant must provide documentary evidence of failure, as well as the failed components themselves or representative samples of the Product that is alleged to have failed, and must agree to allow a meaningful and reasonable opportunity for Vendor to inspect the system in which the alleged defective Product was installed.
- 12.5 ANY LIABILITY IN RESPECT TO THE PRODUCTS IS STRICTLY LIMITED TO THEIR REFUND OR REPLACEMENT AS HEREINBEFORE SPECIFIED AND THERE SHALL NOT, IN ANY EVENT, BE ANY LIABILITY FOR ANY LABOUR CHARGES OR DAMAGES, INCLUDING WITHOUT LIMITATION DIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES.
- 12.6 Without limiting the generality of the foregoing, any liability or responsibility is disclaimed:
  - 12.6.1 for labor, materials, and/or other expenses required to replace a defective Product;
  - 12.6.2 for any damage resulting from a defective Product;
  - 12.6.3 for calculations, product drawings, or engineering design specifications;
  - 12.6.4 regarding the accuracy of any plans, drawings, or specifications furnished to the purchaser as part of the sale of any of its products;
  - 12.6.5 for loss or damage resulting from failure to abide by manufacturer's warnings, safety instructions, or other precautionary guidelines.
- 12.7 ANY CLAIM, WHETHER IN CONTRACT OR IN TORT (INCLUDING NEGLIGENCE) OR OTHERWISE, WITH RESPECT TO OR ARISING OUT OF THE SALE, DELIVERY, INSTALLATION, REPAIR OR USE OF ANY PRODUCTS SOLD TO PURCHASER SHALL NOT IN ANY EVENT EXCEED THE PURCHASE PRICE OF THE PRODUCTS FOUND TO BE DEFECTIVE. It is the responsibility of the owner to obtain and pay for emergency repairs.
- 12.8 No statement, conduct, or description by the Vendor, any of its affiliates, their respective representatives, distributors or agents, in addition to or beyond this Limited Warranty, shall constitute a warranty. <u>This Limited Warranty may only be</u> modified in a writing signed by an officer of the Vendor.

#### 13. IMPORTANT

Without limiting any other restriction in any of the Vendor's documentation, the Products must not be used in any way related to nuclear material or to a nuclear facility and must not be used or located in Iran, North Korea, Syria, Cuba or Sudan at any time.

IPEX USA LLC General Terms and Conditions of Sale (April 2020)



# IPEX USA LLC SALES AND CUSTOMER SERVICE CENTER & SERVICE AND REPAIRS OF ELECTROFUSION UNITS AND TOOLS.

IPEX USA LLC 1425 North Service Rd., Unit 3 Oakville, Ontario, L6H 1A7

(289) 881-0120
 TOLL FREE (800) 463-9572
 FAX (905) 844-0826

www.ipexna.com