

# BULLETIN

# FRIAMAT® 6 110V electrofusion machine

The FRIAMAT 6 uses the latest state-of-the-art technology and includes:

- · Flow-optimized active cooling
- · Robust housing
- · High-quality graphic display
- · Intuitive user interface
- · Bluetooth enabled

## The easy way to work on the construction site

The FRIAMAT 6 fusion unit features a compact and robust design, which increases mobility and can be carried comfortably.

#### Documentation made easy

FRIAMAT 6 offers many digital functions for documentation and extended traceability, enabled

by the new Bluetooth interface in combination with the WorkFlow solution. With the optional 1D/2D scanner, the new FRIAMAT is also ready to read and process 2D barcodes according to ISO 12176-5. This enables you to capture all information required for fusion, including traceability data and extended product information with just one scan.

### Weather conditions

Developed for extreme conditions, the FRIAMAT 6 works reliably and precisely at temperatures of -4° to 122°F (-20° to 50°C). The Active Cooling Technology starts during fusion, which means that any number of fusion processes can be carried out in succession – with no waiting time for the system to cool.



### **Advantages:**

- Reduced downtimes and process times
- Ease of use through a bright TFT display
- Safe use and process control by displaying process data at all times
- Easy handling and portability
- Full documentation and traceability with Bluetooth connection to the WorkFlow app
- Serviceability with dedicated service centers



#### Contact us

Visit our website: ipexna.com

Toll free U.S.: (800) 463-9572

Friatec® is manufactured by Aliaxis Deutschland GmbH and is distributed in the United States by IPEX USA LLC. Friatec® is a trademark of Aliaxis Deutschland GmbH.

